

List of papers in international peer-reviewed papers using the database of trials on psychotherapy for depression

Date last update: July 10th, 2019

1. Cuijpers P, Noma H, Karyotaki E, Cipriani A, Furukawa T (2019). Individual, group, telephone, self-help and internet-based cognitive behavior therapy for adult depression; A network meta-analysis of delivery methods. *JAMA Psychiatry*, epub ahead of print.
2. Furukawa TA, Reijnders M, Kishimoto S, Sakata M, DeRubeis RJ, Dimidjian S, Dozois DJ, Hegerl U, Hollon SD, Jarrett RB, Lesperance F, Segal ZV, Mohr DC, Simons AD, Quilty LC, Reynolds CFI, Gentili C, Leucht S, Engel RR & Cuijpers P (2019). Translating the BDI and BDI-II into the HAMD and vice versa with equipercentile linking. *Epidemiology and Psychiatric Sciences*, epub ahead of print.
3. Cuijpers P, Karyotaki E, Reijnders M, Ebert DD (2019). Was Eysenck right after all? A reassessment of the effects of psychotherapy for adult depression. *Epidemiology and Psychiatric Sciences*, 28, 21–30.
4. Cuijpers P, Cristea IA, Karyotakia E, Reijnders M, Hollon SD (2019). Component studies of psychological treatments of adult depression: A systematic review and meta-analysis. *Psychotherapy Research*, 29, 15-29.
5. Cristea IA, Karyotaki E, Hollon SD, Cuijpers P, Gentili C (2019). Biological markers evaluated in randomized trials of psychological treatments for depression: a systematic review and meta-analysis. *Neuroscience & Biobehavioral Reviews*, 101, 32–44.
6. Cuijpers P, Karyotaki E, Reijnders M, Huibers MJH (2018). Who benefits from psychotherapies for adult depression? A meta-analytic update of the evidence. *Cognitive Behaviour Therapy*, 47(2), 91-106.
7. Cuijpers P, Karyotaki E, Reijnders M, Purgato M, Barbui C (2018). Psychotherapies for depression in low- and middle-income countries: A meta-analysis. *World Psychiatry*, 17, 90–101.
8. Cuijpers P, de Wit L, Kleiboer A, Karyotaki E, Ebert DD (2018). Problem-solving therapy for adult depression: An updated meta-analysis. *European Psychiatry*, 48, 27-37.
9. Cuijpers P, Reijnders M, Karyotaki E, de Wit L, Ebert DD (2018). Negative effects of psychotherapies for adult depression: A meta-analysis of deterioration rates. *Journal of Affective Disorders*, 239, 138–145.
10. Kolovos S, van Dongen JM, Riper H, Buntrock C, Cuijpers P, Ebert DD, Geraedts AS, Kenter RM, Nobis S, Smith A, Warmerdam L, Hayden JA, van Tulder MW, Bosmans JE (2018). Cost effectiveness of guided Internet-based interventions for depression in comparison with control conditions: An individual–participant data meta-analysis. *Depression and Anxiety*, 35, 209-219.
11. Weitz E, Kleiboer A, van Straten A, Cuijpers P. The effects of psychotherapy for depression on anxiety symptoms: a meta-analysis. *Psychological Medicine*, 48, 2140-2152.
12. Cuijpers P (2017). Four decades of outcome research on psychotherapies for adult depression: An overview of a series of meta-analyses. *Canadian Psychology*, 58, 7–19.

13. Cristea IA, Gentili C, Pietrini P, Cuijpers P (2017). Sponsorship bias in the comparative efficacy of psychotherapy and pharmacotherapy for adult depression: A meta-analysis. *British Journal of Psychiatry*, 210, 16-23.
14. Cristea IA, Gentili C, Pietrini P, Cuijpers P (2017). Is investigator background related to outcome in head to head trials of psychotherapy and pharmacotherapy for adult depression? A systematic review and meta-analysis. *Plos One*, 12, e0171654.
15. Cristea IA, Hollon SD, David D, Karyotaki E, Stefan SI, Cuijpers P (2017). The effects of cognitive behavioral therapy are not systematically falling: a revision of Johnsen & Friberg. *Psychological Bulletin*, 143, 326-340.
16. Kolovos S, van Tulder MW, Cuijpers P, Prigent A, Chevreur K, Riper H, Bosmans JE (2017). The effect of treatment as usual on major depressive disorder: a meta-analysis. *Journal of Affective Disorders*, 210(1), 72-81.
17. Lepping P, Whittington R, Sambhi RS, Lane S, Poole R, Leucht S, Cuijpers P, McCabe R, Waheed W (2017). Clinical relevance of findings in trials of CBT for depression. *European Psychiatry*, 45, 207-211.
18. Cuijpers P, Cristea IA, Ebert DD, Koot HM, Auerbach RP, Bruffaerts R, Kessler RC (2016). Psychological treatment of depression in college students: A meta-analysis. *Depression and Anxiety*, 33, 400-414.
19. Cuijpers P, Cristea IA, Karyotaki E, Reijnders M, Huibers MJH (2016). How effective are cognitive behavior therapies for major depression and anxiety disorders? A meta-analytic update of the evidence. *World Psychiatry*, 15, 245-258.
20. Cuijpers P, Donker T, Weissman MM, Ravitz P, Cristea IA (2016). Interpersonal psychotherapy for mental health problems: A comprehensive meta-analysis. *American Journal of Psychiatry*, 173, 680-687.
21. Cuijpers P, Ebert DD, Acarturk C, Andersson G, Cristea IA (2016). Personalized psychotherapy for adult depression: A meta-analytic review. *Behavior Therapy*, 47, 966-980.
22. Cuijpers P (2016). Are all psychotherapies equally effective in the treatment of adult depression? The lack of statistical power of comparative outcome studies. *Evidence-based Mental Health*, 19, 39-42.
23. Boumparis N, Karyotaki E, Kleiboer A, Hofmann SG, Cuijpers P (2016). The effect of psychotherapeutic interventions on positive and negative affect in depression: A systematic review and meta-analysis. *Journal of Affective Disorders*, 202(1), 153-162.
24. Karyotaki E, Smit Y, Holdt Henningsen K, Huibers MJH, Robayse J, de Beurs D, Cuijpers P (2016). Combining pharmacotherapy and psychotherapy or monotherapy for major depression? A meta-analysis on the long-term effects. *Journal of Affective Disorders*, 194(1), 144-152.
25. Karyotaki E, Smit Y, de Beurs DP, Henningsen KH, Robays J, Huibers MJH, Weitz E, Cuijpers P (2016). The long-term efficacy of acute phase psychotherapy for depression: a meta-analysis of randomized trials. *Depression & Anxiety*, 33(5), 370-383.
26. Kolovos S, Kleiboer A, Cuijpers P (2016). The effect of psychotherapy for depression on quality of life: a meta-analysis. *British Journal of Psychiatry*, 209, 460-468.

27. Cuijpers P, Weitz E, Karyotaki E, Garber J, Andersson G (2015). The effects of psychological treatment of maternal depression on children and parental functioning: A meta-analysis. *European Child & Adolescent Psychiatry*, 24, 237–245.
28. Cuijpers P, Karyotaki E, Andersson G, Li J, Mergl R, Hegerl U (2015). The effects of blinding on the outcomes of psychotherapy and pharmacotherapy for adult depression: A meta-analysis. *European Psychiatry*, 30, 685-93.
29. Cristea IA, Huibers MJH, David D, Hollon SD, Andersson G, Cuijpers P (2015). The effects of cognitive behavior therapy for adult depression on dysfunctional thinking: A meta-analysis. *Clinical Psychology Review*, 42, 62-71.
30. Driessen E, Hegelmaier LM, Abbass AA, Barber JP, Dekker JJ, Van HL, Jansma I, Cuijpers P (2015). The efficacy of short-term psychodynamic psychotherapy for depression: a meta-analysis update. *Clinical Psychology Review*, 42, 1-15.
31. Driessen E, Hollon SD, Bockting CLH, Cuijpers P, Turner EH (2015). Does publication bias inflate the apparent efficacy of psychological treatment for major depressive disorder? A systematic review and meta-analysis of us national institutes of health-funded trials. *Plos One*, 10(9), e0137864, doi:10.1371/journal.pone.0137864.
32. Flint J, Cuijpers P, Horder J, Koole SL, Munafò MR (2015). Is there an excess of significant findings in published studies of psychotherapy for depression? *Psychological Medicine*, 45, 439-446.
33. Cuijpers P, Sijbrandij M, Koole SL, Andersson G, Beekman AT, Reynolds III CF (2014). Adding psychotherapy to antidepressant medication in depression and anxiety disorders: A meta-analysis. *World Psychiatry*, 13, 56-67.
34. Cuijpers P, Koole SL, van Dijke A, Roca M, Li J, Reynolds CF (2014). Psychotherapy for subclinical depression: A meta-analysis. *British Journal of Psychiatry*, Br J Psychiatry 2014; 205: 268-274.
35. Cuijpers P, Weitz E, Twisk J, Kuehner C, Cristea I, David D, DeRubeis RJ, Dimidjian S, Dunlop BW, Faramarzi M, Hegerl U, Jarrett RB, Kennedy SH, Kheirkhah F, Mergl R, Miranda J, Mohr DC, Segal ZV, Siddique J, Simons AD, Vittengl JR, Hollon SD (2014). Gender as predictor and moderator of outcome in cognitive behavior therapy and pharmacotherapy for adult depression: An “individual patient data” meta-analysis. *Depression & Anxiety*, 31, 941-951.
36. Cuijpers P, Turner EH, Mohr DC, Hofmann SG, Andersson G, Berking M, Coyne J (2014). Comparison of psychotherapies for adult depression to pill placebo control groups: A meta-analysis. *Psychological Medicine*, 44, 685-695.
37. Cuijpers P, Karyotaki E, Weitz E, Andersson G, Hollon SD, van Straten A (2014). The effects of psychotherapies for major depression in adults on remission, recovery and improvement: A meta-analysis. *Journal of Affective Disorders*, 159, 118-126.
38. Cuijpers P, Vogelzangs N, Twisk J, Kleiboer A, Li J, Penninx BW (2014). Is excess mortality higher in depressed men than in depressed women? A meta-analytic comparison. *Journal of Affective Disorders*, 161, 47-54.
39. Cuijpers P, Karyotaki E, Pot AM, Park M, Reynolds CF (2014). Managing depression in older age: psychological interventions. *Maturitas*, 79, 160-169.
40. Cuijpers P, de Wit L, Taylor A (2014). The effects of psychological treatments for adult depression on physical activity: A systematic review. *Mental Health & Physical Activity*, 7, 6-8.

41. Park M, Cuijpers P, van Straten A, Reynolds CF (2014). The effects of psychological treatments of adult depression on social support: A meta-analysis. *Cognitive Therapy and Research*, 38, 600-611.
42. Renner F, Cuijpers P, Huibers MJH (2013). The effect of psychotherapy for depression on improvements in social functioning: A meta-analysis. *Psychological Medicine*, 44, 2913-2926.
43. Ünlü B, Riper H, van 't Hof E, Cuijpers P (2014). The effects of psychotherapy for depression in ethnic minorities: A metaregression analysis. *Psychiatric Services*, 65, 612-617.
44. Van Ballegooijen W, Cuijpers P, Van Straten A, Karyotaki E, Andersson G, Smit JH, Riper H (2014). Adherence to internet-based and face-to-face cognitive behavioural therapy for depression: a meta-analysis. *Plos One*, 9(7): e100674.
45. Cuijpers P, Sijbrandij M, Koole SL, Andersson G, Beekman AT, Reynolds III CF (2013). The efficacy of psychotherapy and pharmacotherapy in treating depressive and anxiety disorders: a meta-analysis of direct comparisons. *World Psychiatry*, 12, 137-148.
46. Cuijpers P, de Beurs DP, van Spijker BAJ, Berking M, Andersson G, Kerkhof AJFM (2013). The effects of psychotherapy for adult depression on suicidality and hopelessness: A systematic review and meta-analysis. *Journal of Affective Disorders*, 144, 183-190.
47. Cuijpers P, Huibers M, Ebert DD, Koole SL, Andersson G (2013). How much psychotherapy is needed to treat depression? A metaregression analysis. *Journal of Affective Disorders*, 149, 1-13.
48. Cuijpers P, Hollon SD, van Straten A, Bockting C, Berking M, Andersson G (2013). Does cognitive behaviour therapy have an enduring effect that is superior to keeping patients on continuation pharmacotherapy? A meta-analysis. *BMJ Open*, 2013: 3, doi: 10.1136/bmjopen-2012-002542
49. Cuijpers P, Berking M, Andersson G, Quigley L, Kleiboer A, Dobson KS (2013). A meta-analysis of cognitive behavior therapy for adult depression, alone and in comparison to other treatments. *Canadian Journal of Psychiatry*, 58, 376-385.
50. Barth J, Munder T, Gerger H, Nuesch E, Trelle S, Znoj H, Juni P, Cuijpers P (2013). Comparative efficacy of seven psychotherapeutic interventions for depressed patients: A network meta-analysis. *Plos Medicine*, 10(5): e1001454.
51. Cuijpers P, Driessen E, Hollon SD, van Oppen P, Barth J, Andersson G (2012). The efficacy of non-directive supportive therapy for adult depression: A meta-analysis. *Clinical Psychology Review*, 32, 280-291.
52. Cuijpers P, Reynolds CF, Donker T, Li J, Andersson G, Beekman A (2012). Personalized treatment of adult depression: Medication, psychotherapy or both? A systematic review. *Depression and Anxiety*, 29, 855-864.
53. Cuijpers P, Geraedts AS, van Oppen P, Andersson G, Markowitz JC, van Straten A (2011). Interpersonal psychotherapy of depression: A meta-analysis. *American Journal of Psychiatry*, 168, 581-592.
54. Cuijpers P, Clignet F, van Meijel B, van Straten A, Li J, Andersson G (2011). Psychological treatment of depression in inpatients: A systematic review and meta-analysis. *Clinical Psychology Review*, 31, 353-360.
55. Cuijpers P, Donker T, Johansson R, Mohr DC, van Straten A, Andersson G (2011). Self-guided psychological treatment for depressive symptoms: A meta-analysis. *PloS One*, 6(6), e21274.

56. Cuijpers P, van Straten A, Donker T, Andersson G (2011). Psychological treatment of depression: Results of a series of meta-analyses. *Nordic Journal of Psychiatry*, 65, 354-364.
57. Cuijpers P, Smit F, Bohlmeijer ET, Hollon SD, Andersson G (2010). Is the efficacy of cognitive behaviour therapy and other psychological treatments for adult depression overestimated? A meta-analytic study of publication bias. *British Journal of Psychiatry*, 196, 173-178.
58. Cuijpers P, van Straten A, Schuurmans J, van Oppen P, Hollon SD, Andersson G (2010). Psychotherapy for chronic major depression and dysthymia: A meta-analysis. *Clinical Psychology Review*, 30, 51-62.
59. Cuijpers P, Li J, Hofmann SG, Andersson G (2010). Self-reported versus clinician-rated symptoms of depression as outcome measures in psychotherapy research on depression: A meta-analysis. *Clinical Psychology Review*, 30, 768-778.
60. Cuijpers P, van Straten A, van Oppen P, Andersson G (2010). Comparing psychotherapy and pharmacotherapy for adult depression: Adjusting for differential drop-out rates. *Journal of Clinical Psychiatry*, 71, 1246.
61. Cuijpers P, Donker T, van Straten A, Li J, Andersson G (2010). Is guided self-help as effective as face-to-face psychotherapy for depression and anxiety disorders? A systematic review and meta-analysis of comparative outcome studies. *Psychological Medicine*, 40, 1943-1957.
62. Cuijpers P, van Straten A, Bohlmeijer E, Hollon SD, Andersson G (2010). The effects of psychotherapy for adult depression are overestimated: A meta-analysis of study quality and effect size. *Psychological Medicine*, 40, 211-223.
63. Cuijpers P, van Straten A, Hollon SD, Andersson G (2010). The contribution of active medication to combined treatments of psychotherapy and pharmacotherapy for adult depression: A meta-analysis. *Acta Psychiatrica Scandinavica*, 121, 415-423.
64. Cuijpers P, Smit F, Hollon SD, Andersson G (2010). Continuous and dichotomous outcomes in studies of psychotherapy for adult depression: A meta-analytic comparison. *Journal of Affective Disorders*, 126, 349-357.
65. Van Straten A, Geraedts A, Verdonck-de Leeuw I, Andersson G, Cuijpers P (2010). Psychological treatment of depressive symptoms in patients with medical disorders: a meta-analysis. *Journal of Psychosomatic Research*, 69, 23-32.
66. Cuijpers P, Dekker J, Hollon SD, Andersson G (2009). Adding psychotherapy to pharmacotherapy in the treatment of depressive disorders in adults: A meta-analysis. *Journal of Clinical Psychiatry*, 70, 1219-1229.
67. Cuijpers P, Muñoz RF, Clarke GN, Lewinsohn PM (2009). Psychoeducational treatment and prevention of depression: The “Coping with Depression” course thirty years later. *Clinical Psychology Review*, 29, 449-458.
68. Cuijpers P, van Straten A, van Schaik A, Andersson G (2009). Psychological treatment of depression in primary care: A meta-analysis. *British Journal of General Practice*, 59, 120-127.
69. Cuijpers P, van Straten A, Warmerdam L, Andersson G (2009). Psychological treatment versus combined treatment of depression: A meta-analysis. *Depression & Anxiety*, 26, 279-288.

70. Cuijpers P, van Straten A, Smit F, Andersson G (2009). Is psychotherapy for depression equally effective in younger and older adults? A meta-regression analysis. *International Psychogeriatrics*, 21, 16–24
71. Cuijpers P, van Straten A, Smit F, Mihalopoulos C, Beekman A (2008). Preventing the onset of depressive disorders: A meta-analytic review of psychological interventions. *American Journal of Psychiatry*, 165, 1272-1280.
72. Cuijpers P, van Straten A, Andersson G, van Oppen P (2008). Psychotherapy for depression in adults: A meta-analysis of comparative outcome studies. *Journal of Consulting and Clinical Psychology*, 76, 909-922.
73. Cuijpers P, van Straten A, van Oppen P, Andersson G (2008). Are psychological and pharmacological interventions equally effective in the treatment of adult depressive disorders? A meta-analysis of comparative studies. *Journal of Clinical Psychiatry*, 69, 1675-1685.
74. Cuijpers P, Brännmark JG, van Straten A (2008). Psychological treatment of postpartum depression: A meta-analysis. *Journal of Clinical Psychology*, 64, 103-118.
75. Cuijpers P, van Straten A, Warmerdam L, Smits N (2008). Characteristics of effective psychological treatments of depression; a meta-regression analysis. *Psychotherapy Research*, 18, 225 - 236.
76. Cuijpers P, van Straten A, Warmerdam L, Andersson G (2008). Psychological treatment of depression: A meta-analytic database of randomized studies. *BMC Psychiatry*, 8(1), 36.
77. Cuijpers P, van Straten A, Warmerdam L (2008). Are individual and group treatments equally effective in the treatment of depression in adults? A meta-analysis. *European Journal of Psychiatry*, 22, 38-51.
78. Cuijpers P, van Straten A, Smit F (2007). Psychological treatments of subthreshold depression: A meta-analytic review. *Acta Psychiatrica Scandinavica*, 115: 434–441.
79. Cuijpers P, van Straten A, Warmerdam L (2007). Behavioral activation treatments of depression: A meta-analysis. *Clinical Psychology Review*, 27, 318-326.
80. Cuijpers P, van Straten A, Warmerdam L (2007). Problem solving therapies for depression: A meta-analysis. *European Psychiatry*, 22, 9-15.
81. Cuijpers P, van Straten A, Smit F. (2006). Psychological treatment of late-life depression: A meta-analysis of randomized controlled trials. *International Journal of Geriatric Psychiatry*, 21, 1139-1149.